


Hospital Grade - Green Dot

Power Cords going into any hospital application are subject to special requirements by Underwriters Laboratories. UL 544 is a system approval which, among other things specifies a specific type of power cord. The 'Green Dot' hospital grade cord has a larger, more durable plug. The entire power cord is tested by a method which destroys the cord if it fails any portion of the test. If it passes, it is stamped with a green dot on the plug.

● NEMA 5-15PHGC to IEC-60320-C13C (Hospital Grade)(Clear) (Clear)

APPROVALS: UL, CSA




NEMA 5-15P Hospital Grade, Clear

IEC 60320 C13, Clear

Part Number	Length	Wire Type	Jacket	Color	Conductors	NOM O.D. (inches)	Rating
0310.036	3'	18/3 SJT	Grey		N. American	.300 - .335	10A/125V
* 0310.072	6'	18/3 SJT	Grey		N. American	.300 - .335	10A/125V
* 0310.096	8'	18/3 SJT	Grey		N. American	.300 - .335	10A/125V
* 0310.120	10'	18/3 SJT	Grey		N. American	.300 - .335	10A/125V
0310.180	15'	18/3 SJT	Grey		N. American	.300 - .335	10A/125V
0310.240	20'	18/3 SJT	Grey		N. American	.300 - .335	10A/125V
0360.072	6'	18/3 SJT	Black		N. American	.300 - .335	10A/125V
0360.120	10'	18/3 SJT	Black		N. American	.300 - .335	10A/125V
0392.120	10'	18/3 SJT	White		N. American	.300 - .335	10A/125V
0322.072	6'	16/3 SJT	Grey		N. American	.335 - .360	13A/125V
* 0322.096	8'	16/3 SJT	Grey		N. American	.335 - .360	13A/125V
* 0322.120	10'	16/3 SJT	Grey		N. American	.335 - .360	13A/125V
0322.144	12'	16/3 SJT	Grey		N. American	.335 - .360	13A/125V
0322.180	15'	16/3 SJT	Grey		N. American	.335 - .360	13A/125V
0322.240	20'	16/3 SJT	Grey		N. American	.335 - .360	13A/125V
0322.300	25'	16/3 SJT	Grey		N. American	.335 - .360	13A/125V
0313.024	2'	14/3 SJT	Grey		N. American	.360 - .395	15A/125V
0313.072	6'	14/3 SJT	Grey		N. American	.360 - .395	15A/125V
0313.096	8'	14/3 SJT	Grey		N. American	.360 - .395	15A/125V
* 0313.120	10'	14/3 SJT	Grey		N. American	.360 - .395	15A/125V
0313.144	12'	14/3 SJT	Grey		N. American	.360 - .395	15A/125V
0313.180	15'	14/3 SJT	Grey		N. American	.360 - .395	15A/125V
0313.240	20'	14/3 SJT	Grey		N. American	.360 - .395	15A/125V
0313.300	25'	14/3 SJT	Grey		N. American	.360 - .395	15A/125V

APPROVALS: UL, CSA




NEMA 5-15P Hospital Grade, Clear

IEC 60320 C13, Clear

Part Number	Length	Wire Type	Jacket	Color	Conductors	NOM O.D. (inches)	Rating
0354.120	10'	16/3 SJT	Grey		International	.335 - .360	13A/125V
0354.144	12'	16/3 SJT	Grey		International	.335 - .360	13A/125V
0354.180	15'	16/3 SJT	Grey		International	.335 - .360	13A/125V
0374.120	10'	18/3 SJT Shielded	Black		International	.300 - .335	10A/125V

● NEMA 5-15PHGC to IEC-60320-C13C - with Hospital Grade Label (Hospital Grade)(Clear) (Clear) (See Page 122 for label details)

APPROVALS: UL, CSA



NEMA 5-15P Hospital Grade, Clear

IEC 60320 C13, Clear

Part Number	Length	Wire Type	Jacket	Color	Conductors	NOM O.D. (inches)	Rating
0310.024L	2'	18/3 SJT	Grey		N. American	.300 - .335	10A/125V
0310.096L	8'	18/3 SJT	Grey		N. American	.300 - .335	10A/125V
* 0310.120L	10'	18/3 SJT	Grey		N. American	.300 - .335	10A/125V

* This symbol means that these are our most commonly stocked items within a series. Look for this symbol throughout our catalog for fast shipment.


Hospital
Grade

Hospital Grade / Green Dot



● **NEMA 5-15PHGC to IEC-60320-C13C** - with Ferrite Bead
(Hospital Grade)(Clear) (Clear)

APPROVALS: UL, CSA




NEMA 5-15P Hospital Grade, Clear

IEC 60320 C13, Clear

Part Number	Length	Wire Type	Jacket	Color	Conductors	NOM O.D. (inches)	Rating
0310.120F	10'	18/3 SJT	Grey		N. American	.300 - .335	10A/125V

● **NEMA 5-15PHGC to IEC-60320-C13SLC**
(Hospital Grade)(Clear) (Sure-Lock)(Clear)

APPROVALS: UL, CSA




NEMA 5-15P Hospital Grade, Clear

IEC 60320 C13, Clear Sure-Lock

Part Number	Length	Wire Type	Jacket	Color	Conductors	NOM O.D. (inches)	Rating
* 0322.118SL	9' 10"	16/3 SJT	Grey		N. American	.335 - .360	13A/125V

● **NEMA 5-15PHGC to IEC-60320-C13G**
(Hospital Grade)(Clear) (Grey)

APPROVALS: UL, CSA




NEMA 5-15P Hospital Grade, Clear

IEC 60320 C13, Grey

Part Number	Length	Wire Type	Jacket	Color	Conductors	NOM O.D. (inches)	Rating
0327.120	10'	16/3 SJT	Grey		N. American	.335 - .360	13A/125V

● **NEMA 5-15PHGG to IEC-60320-C13G**
(Hospital Grade)(Grey) (Grey)

APPROVALS: UL, CSA




NEMA 5-15P Hospital Grade, Grey

IEC 60320 C13, Grey

Part Number	Length	Wire Type	Jacket	Color	Conductors	NOM O.D. (inches)	Rating
* 0310.098S	8' 2"	18/3 SJT	Grey		N. American	.300 - .335	10A/125V
0312.012	1'	14/3 SJT	Grey		N. American	.360 - .395	15A/125V
0312.024	2'	14/3 SJT	Grey		N. American	.360 - .395	15A/125V
0312.036	3'	14/3 SJT	Grey		N. American	.360 - .395	15A/125V
0312.048	3' 4"	14/3 SJT	Grey		N. American	.360 - .395	15A/125V
0312.072	6'	14/3 SJT	Grey		N. American	.360 - .395	15A/125V

APPROVALS: UL, CSA



NEMA 5-15P Hospital Grade, Grey

IEC 60320 C13, Grey

Part Number	Length	Wire Type	Jacket	Color	Conductors	NOM O.D. (inches)	Rating
0388.108	9'	18/3 SJT	Grey		International	.300 - .335	10A/125V
0357.120	10'	16/3 SJT Double Shielded	Grey		International	.335 - .360	13A/125V


* This symbol means that these are our most commonly stocked items within a series. Look for this symbol throughout our catalog for fast shipment.

Hospital Grade

Hospital Grade / Green Dot

● **NEMA 5-15PHGB to IEC-60320-C13B**
 (Hospital Grade)(Black) (Black)

APPROVALS: UL, CSA




NEMA 5-15P Hospital Grade, Black

IEC 60320 C13, Black

Part Number	Length	Wire Type	Jacket	Color	Conductors	NOM O.D. (inches)	Rating
0361.120	10'	18/3 SJT	Black		N. American	.300 - .335	10A/125V
0336.120	10'	14/3 SJT	Black		N. American	.360 - .395	15A/125V

● **NEMA 5-15PHGC to IEC-60320-C13Cx2**
 (Hospital Grade)(Clear) (Clear)

APPROVALS: UL, CSA




NEMA 5-15P Hospital Grade, Clear

IEC 60320 C13x2 Clear

Part Number	Length	Wire Type	Jacket	Color	Conductors	NOM O.D. (inches)	Rating
0407.120	10'	18/3 SJT	Grey		N. American	.300 - .335	10A/125V
0426.120	10'	16/3 SJT	Grey		N. American	.335 - .360	13A/125V

● **NEMA 5-15PHGC to IEC-60320-C13LC**
 (Hospital Grade)(Clear) (Left Angle)(Clear)

APPROVALS: UL, CSA




NEMA 5-15P Hospital Grade, Clear

IEC 60320 C13 Left Angle, Clear

Part Number	Length	Wire Type	Jacket	Color	Conductors	NOM O.D. (inches)	Rating
0311.096	8'	18/3 SJT	Grey		N. American	.300 - .335	10A/125V
0311.120	10'	18/3 SJT	Grey		N. American	.300 - .335	10A/125V
0333.096	8'	16/3 SJT	Grey		N. American	.335 - .360	13A/125V
0333.120	10'	16/3 SJT	Grey		N. American	.335 - .360	13A/125V
0333.144	12'	16/3 SJT	Grey		N. American	.335 - .360	13A/125V

APPROVALS: UL, CSA




NEMA 5-15P Hospital Grade, Clear

IEC 60320 C13 Left Angle, Clear

Part Number	Length	Wire Type	Jacket	Color	Conductors	NOM O.D. (inches)	Rating
0341.168	14'	14/3 SJT	Black		International	.360 - .395	15A/125V

● **NEMA 5-15PHGC to IEC-60320-C13RC**
 (Hospital Grade)(Clear) (Right Angle)(Clear)

APPROVALS: UL, CSA



NEMA 5-15P Hospital Grade, Clear


IEC 60320 C13 Right Angle, Clear

Part Number	Length	Wire Type	Jacket	Color	Conductors	NOM O.D. (inches)	Rating
0314.036	3'	18/3 SJT	Black		N. American	.300 - .335	10A/125V
0314.120	10'	18/3 SJT	Black		N. American	.300 - .335	10A/125V
0314.240	20'	18/3 SJT	Black		N. American	.300 - .335	10A/125V

Hospital Grade / Green Dot


● **NEMA 5-15PHGC to IEC-60320-C13RC** - Continued
 (Hospital Grade)(Clear) (Right Angle)(Clear)

APPROVALS: UL, CSA



Part Number	Length	Wire Type	Jacket	Color	Conductors	NOM O.D. (inches)	Rating
* 0318.120	10'	18/3 SJT	Grey	N. American	.300 - .335	10A/125V	
0318.180	15'	18/3 SJT	Grey	N. American	.300 - .335	10A/125V	
* 0371.120	10'	16/3 SJT	Grey	N. American	.335 - .360	13A/125V	
0371.144	12'	16/3 SJT	Grey	N. American	.335 - .360	13A/125V	
0371.180	15'	16/3 SJT	Grey	N. American	.335 - .360	13A/125V	
0371.240	20'	16/3 SJT	Grey	N. American	.335 - .360	13A/125V	
0368.240	20'	16/3 SJT	Black	N. American	.335 - .360	13A/125V	
0344.240	20'	14/3 SJT	Black	N. American	.360 - .395	15A/125V	
0339.120	10'	18/3 SJT Double Shielded	Grey	N. American	.300 - .335	10A/125V	


APPROVALS: UL, CSA



Part Number	Length	Wire Type	Jacket	Color	Conductors	NOM O.D. (inches)	Rating
0323.096	8'	16/3 SJT	Black	International	.335 - .360	13A/125V	

● **NEMA 5-15PHGC to IEC-60320-C13RC** - with Hospital Grade Label
 (Hospital Grade)(Clear) (Right Angle)(Clear) (See Page 122 for label details)


APPROVALS: UL, CSA



Part Number	Length	Wire Type	Jacket	Color	Conductors	NOM O.D. (inches)	Rating
* 0318.120S	10'	18/3 SJT	Grey	N. American	.300 - .335	10A/125V	

● **NEMA 5-15PHGC to IEC-60320-C13RSLC**
 (Hospital Grade)(Clear) (Right Angle)(Sure-Lock)(Clear)


APPROVALS: UL, CSA



Part Number	Length	Wire Type	Jacket	Color	Conductors	NOM O.D. (inches)	Rating
0314.120SL	10'	18/3 SJT	Black	N. American	.300 - .335	10A/125V	

● **NEMA 5-15PHGC to IEC-60320-C13DAC**
 (Hospital Grade)(Clear) (Down Angle)(Clear)

APPROVALS: UL, CSA




Part Number	Length	Wire Type	Jacket	Color	Conductors	NOM O.D. (inches)	Rating
0330.096	8'	18/3 SJT	Black	N. American	.300 - .335	10A/125V	
0330.120	10'	18/3 SJT	Black	N. American	.300 - .335	10A/125V	

Hospital Grade

Hospital Grade / Green Dot

● **NEMA 5-15PHGC to IEC-60320-C13DAC** - Continued
 (Hospital Grade)(Clear) (Down Angle)(Clear)

APPROVALS: UL, CSA




NEMA 5-15P Hospital Grade, Clear

IEC-60320-C13
Down Angle, Clear

Part Number	Length	Wire Type	Jacket	Color	Conductors	NOM O.D. (inches)	Rating
0337.120	10'	18/3 SJT	Black	International	International	.300 - .335	10A/125V
* 0390.120	10'	18/3 SJT	Grey	International	International	.300 - .335	10A/125V

● **NEMA 5-15PHGC to IEC-60320-C13UAC**
 (Hospital Grade)(Clear) (Up Angle)(Clear)

APPROVALS: UL, CSA




NEMA 5-15P Hospital Grade, Clear

IEC-60320-C13
Up Angle, Clear

Part Number	Length	Wire Type	Jacket	Color	Conductors	NOM O.D. (inches)	Rating
* 0369.096	8'	18/3 SJT	Black	N. American	N. American	.300 - .335	10A/125V
0369.120	10'	18/3 SJT	Black	N. American	N. American	.300 - .335	10A/125V

● **NEMA 5-15PHGC to IEC-60320-C15C**
 (Hospital Grade)(Clear) (Clear)

APPROVALS: UL, CSA




NEMA 5-15P Hospital Grade, Clear

IEC-60320-C15
Clear

Part Number	Length	Wire Type	Jacket	Color	Conductors	NOM O.D. (inches)	Rating
0802.072	6'	18/3 SJT	Black	N. American	N. American	.300 - .335	10A/125V

● **NEMA 5-15PHGC to IEC-60320-C19C**
 (Hospital Grade)(Clear) (Clear)

APPROVALS: UL, CSA




NEMA 5-15P Hospital Grade, Clear

IEC-60320-C19
Clear

Part Number	Length	Wire Type	Jacket	Color	Conductors	NOM O.D. (inches)	Rating
0380.120	10'	14/3 SJT	Grey	N. American	N. American	.365 - .390	15A/125V

● **NEMA 5-15PHGC to NEMA 5-15RC**
 (Hospital Grade)(Clear) (Clear)

APPROVALS: UL, CSA



NEMA 5-15P Hospital Grade, Clear

NEMA 5-15R, Clear

Part Number	Length	Wire Type	Jacket	Color	Conductors	NOM O.D. (inches)	Rating
0334.036	3'	16/3 SJT	Grey	N. American	N. American	.335 - .360	13A/125V
0334.120	10'	16/3 SJT	Grey	N. American	N. American	.335 - .360	13A/125V
0334.072	6'	16/3 SJTW	Grey	N. American	N. American	.335 - .360	13A/125V

* This symbol means that these are our most commonly stocked items within a series. Look for this symbol throughout our catalog for fast shipment.


Hospital
Grade

Hospital Grade / Green Dot



● **NEMA 5-15PHGC to NEMA 5-15Rx3**
 (Hospital Grade)(Clear) (Triple Tap)(Clear)

APPROVALS: UL, CSA




NEMA 5-15P Hospital Grade, Clear

NEMA 5-15Rx3 Triple Tap, Clear

Part Number	Length	Wire Type	Jacket	Color	Conductors	NOM O.D. (inches)	Rating
5530.072	6'	18/3 SJT	Grey		N. American	.300 - .335	10A/125V

● **NEMA 5-15PHGC to NEMA 5-15Rx3**
 (Hospital Grade)(Clear) (Triple Tap)(Clear)

APPROVALS: UL, CSA




NEMA 5-15P Hospital Grade, Clear

NEMA 5-15Rx3 Triple Tap, Clear

Part Number	Length	Wire Type	Jacket	Color	Conductors	NOM O.D. (inches)	Rating
5537.120	10' Extended Length	18/3 SJT (Retracted Length - 1' 5")	Grey		N. American	.300 - .335	10A/125V

● **NEMA 5-15PHGC to Standard ROJ**
 (Hospital Grade)(Clear) (Remove outer Jacket)

APPROVALS: UL, CSA




NEMA 5-15P Hospital Grade, Clear

Standard ROJ

Part Number	Length	Wire Type	Jacket	Color	Conductors	NOM O.D. (inches)	Rating
0300.072	10'	18/3 SJT	Grey		N. American	.300 - .335	10A/125V
0300.096	8'	18/3 SJT	Grey		N. American	.300 - .335	10A/125V
0300.120	10'	18/3 SJT	Grey		N. American	.300 - .335	10A/125V
0306.120	10'	18/3 SJT	Black		N. American	.300 - .335	10A/125V
0320.072	6'	16/3 SJT	Grey		N. American	.335 - .360	13A/125V
0320.096	8'	16/3 SJT	Grey		N. American	.335 - .360	13A/125V
0320.120	10'	16/3 SJT	Grey		N. American	.335 - .360	13A/125V
0320.144	12'	16/3 SJT	Grey		N. American	.335 - .360	13A/125V
0320.180	15'	16/3 SJT	Grey		N. American	.335 - .360	13A/125V
0365.120	10'	16/3 SJT	Black		N. American	.335 - .360	13A/125V
0365.240	25'	16/3 SJT	Black		N. American	.335 - .360	13A/125V
0340.072	6'	14/3 SJT	Grey		N. American	.360 - .395	15A/125V
0340.096	8'	14/3 SJT	Grey		N. American	.360 - .395	15A/125V
0340.120	10'	14/3 SJT	Grey		N. American	.360 - .395	15A/125V
0399.120	10'	14/3 SJT	Grey		N. American	.360 - .395	15A/125V
0342.120	10'	14/3 SJT	Black		N. American	.360 - .395	15A/125V

● **NEMA 5-15PHGG to Standard ROJ**
 (Hospital Grade)(Grey) (Remove outer Jacket)

APPROVALS: UL, CSA



NEMA 5-15P Hospital Grade, Grey


Standard ROJ

Part Number	Length	Wire Type	Jacket	Color	Conductors	NOM O.D. (inches)	Rating
0321.120	10'	16/3 SJT	Grey		N. American	.335 - .360	13A/125V
0356.072	6'	14/3 SJT	Grey		N. American	.360 - .395	15A/125V

* This symbol means that these are our most commonly stocked items within a series. Look for this symbol throughout our catalog for fast shipment.

● **NEMA 5-15PHGG to Standard ROJ** - Continued
 (Hospital Grade)(Grey) (Remove outer Jacket)

APPROVALS: UL, CSA




Standard ROJ

Part Number	Length	Wire Type	Jacket	Color	Conductors	NOM O.D. (inches)	Rating
0379.120	10'	18/3 SJT	Grey		International	.300 - .335	10A/125V

● **NEMA 5-15PHGB to Standard ROJ**
 (Hospital Grade)(Black) (Remove outer Jacket)

APPROVALS: UL, CSA




Standard ROJ

Part Number	Length	Wire Type	Jacket	Color	Conductors	NOM O.D. (inches)	Rating
0367.144	12'	16/3 SJT	Black		N. American	.335 - .360	13A/125V

● **NEMA 5-20PHGC to IEC-60320-C13C**
 (Hospital Grade)(Clear) (Clear)

APPROVALS: UL, CSA




IEC-60320-C13 Clear

Part Number	Length	Wire Type	Jacket	Color	Conductors	NOM O.D. (inches)	Rating
0348.180	15'	14/3 SJT	Black		N. American	.360 - .395	16A/125V

● **NEMA 5-20PHGC to IEC-60320-C19C**
 (Hospital Grade)(Clear) (Clear)

APPROVALS: UL, C-UL




IEC-60320-C19 Clear

Part Number	Length	Wire Type	Jacket	Color	Conductors	NOM O.D. (inches)	Rating
0383.120	10'	12/3 SJTO	Grey		N. American	.425 - .475	20A/125V

● **NEMA 5-20PHGC to Standard ROJ**
 (Hospital Grade)(Clear) (Remove Outer Jacket)

APPROVALS: UL, C-UL



Standard ROJ

Part Number	Length	Wire Type	Jacket	Color	Conductors	NOM O.D. (inches)	Rating
0364.096	8'	12/3 SJT	Black		N. American	.425 - .475	20A/125V
0364.132	11'	12/3 SJT	Black		N. American	.425 - .475	20A/125V




* This symbol means that these are our most commonly stocked items within a series. Look for this symbol throughout our catalog for fast shipment.

Hospital Grade

Hospital Grade / Green Dot

● **NEMA 6-15PHGC to IEC-6032-C19C**
 (Hospital Grade)(Clear) (Clear)

APPROVALS: UL, C-UL





IEC-60320-C19
Clear

NEMA 6-15P Hospital Grade, Clear

Part Number	Length	Wire Type	Jacket	Color	Conductors	NOM O.D. (inches)	Rating
0294.120	10'	14/3 SJT	Grey		N. American	.360 - .395	15A/250V

● **NEMA 6-20PHGC to IEC-6032-C19C**
 (Hospital Grade)(Clear) (Clear)

APPROVALS: UL, C-UL



IEC-60320-C19
Clear

NEMA 6-20P Hospital Grade, Clear

Part Number	Length	Wire Type	Jacket	Color	Conductors	NOM O.D. (inches)	Rating
0293.120	10'	12/3 SJT	Grey		N. American	.425 - .475	20A/250V

Hospital Grade

Hospital Grade / Green Dot

