





Plugs, Kits & Adapters





We offer a wide array of global connection applications for computers & small appliances. The complete set of six splitters/adapters will convert a standard NEMA 5-15R or IEC-60320-C13 to any combination of IEC-60320-C13 (computer type power outlet) and NEMA 5-15R outlets. The adapters/splitters are designed to not interfere/block adjacent outlets. The adapters have a rating of 10A/125V and will solve the problem of having the wrong plug.





Plugs, Kits & Adapters





Assembled Plugs & Receptacles

Straight Blade

<p>Plug</p>  <p>Approvals: UL, C-UL</p> <p>Part Number: 5-15.P *</p>	<p>NEMA 5-15P</p>  <p>Rating: 15A/125V</p>	<p>Receptacle</p>  <p>Approvals: UL, CSA</p> <p>Part Number: 5-15.R</p>	<p>NEMA 5-15R</p>  <p>Rating: 15A/125V</p>
---	--	---	--

<p>Plug</p>  <p>Approvals: UL, C-UL</p> <p>Part Number: 5-20.P *</p>	<p>NEMA 5-20P</p>  <p>Rating: 20A/125V</p>	<p>Receptacle</p>  <p>Approvals: UL, CSA</p> <p>Part Number: 5-20.R</p>	<p>NEMA 5-15R/5-20R "T-Slot"</p>  <p>Rating: 20A/125V</p>
--	---	--	--

<p>Plug</p>  <p>Approvals: UL, C-UL</p> <p>Part Number: 6-15.P *</p>	<p>NEMA 6-15P</p>  <p>Rating: 15A/250V</p>	<p>Receptacle</p>  <p>Approvals: UL, CSA</p> <p>Part Number: 6-15.R</p>	<p>NEMA 6-15R</p>  <p>Rating: 15A/250V</p>
---	--	---	--

<p>Plug</p>  <p>Approvals: UL, C-UL</p> <p>Part Number: 6-20.P *</p>	<p>NEMA 6-20P</p>  <p>Rating: 20A/250V</p>	<p>Receptacle</p>  <p>Approvals: UL, CSA</p> <p>Part Number: 6-20.R</p>	<p>NEMA 6-15R/6-20R "T-Slot"</p>  <p>Rating: 20A/250V</p>
---	--	---	---

* This symbol means that these are our most commonly stocked items within a series. Look for this symbol throughout our catalog for fast shipment.


Plugs, Kits & Adapters



Locking NEMA

Plug

NEMA L5-15P




Approvals: UL, CSA

Rating: 15A/125V

Part Number: L5.15P

Receptacle

NEMA L5-15R




Approvals: UL, CSA

Rating: 15A/125V

Part Number: L5.15R

Plug

NEMA L5-20P





Approvals: UL, CSA

Rating: 20A/125V

Part Number: L5.20P *

Receptacle

NEMA L5-20R




Approvals: UL, CSA

Rating: 20A/125V

Part Number: L5.20R *

Plug

NEMA L6-15P




Approvals: UL, CSA

Rating: 15A/250V

Part Number: L6.15P

Receptacle

NEMA L6-15R




Approvals: UL, CSA

Rating: 15A/250V

Part Number: L6.15R

Plug

NEMA L6-20P




Approvals: UL, CSA

Rating: 20A/250V

Part Number: L6.20P *

Receptacle

NEMA L6-20R




Approvals: UL, CSA

Rating: 20A/250V

Part Number: L6.20R *

Plug

NEMA L14-20P




Approvals: UL

Rating: 20A/250V

Part Number: L14.20P *

Receptacle





NEMA L14-20R











Approvals: UL

Rating: 20A/250V


Part Number: L14.20R *

<p>Plug</p>  <p>Approvals: UL</p> <p>Part Number: L14.30P *</p>	<p>NEMA L14-30P</p>  <p>Rating: 30A/250V</p>	<p>Receptacle</p>  <p>Approvals: UL</p> <p>Part Number: L14.30R *</p>	<p>NEMA L14-30R</p>  <p>Rating: 30A/250V</p>
--	--	---	--

<p>Plug</p>  <p>Approvals: UL</p> <p>Part Number: L15.20P *</p>	<p>NEMA L15-20P</p>  <p>Rating: 20A/250V</p>	<p>Receptacle</p>  <p>Approvals: UL</p> <p>Part Number: L15.20R *</p>	<p>NEMA L15-20R</p>  <p>Rating: 20A/250V</p>
--	--	---	--

<p>Plug</p>  <p>Approvals: UL</p> <p>Part Number: L15.30P *</p>	<p>NEMA L15-30P</p>  <p>Rating: 30A/250V</p>	<p>Receptacle</p>  <p>Approvals: UL</p> <p>Part Number: L15.30R *</p>	<p>NEMA L15-30R</p>  <p>Rating: 30A/250V</p>
---	---	--	---

Quick Lock



Approvals: **UL, CSA** Rating: **15A/125V**



Part Number: **5-15.ROL**

Strong "Catch Hooks" lock into both plug prong holes. Guaranteed to lock every time!

* This symbol means that these are our most commonly stocked items within a series. Look for this symbol throughout our catalog for fast shipment.



Plug





Approvals: UL, CSA, VDE

Rating: 16A/125V

Part Number: 309M.16-125

Receptacle





Approvals: UL, CSA, VDE

Rating: 16A/125V

Part Number: 309F.16-125

Plug





Approvals: VDE

Rating: 16A/250V

Part Number: 309M.16



Receptacle





Approvals: VDE

Rating: 16A/250V

Part Number: 309F.16





Plug



Approvals: **UL, CSA, VDE** Rating: **32A/125V**

Part Number: **309M.32-125**



Receptacle



Approvals: **UL, CSA, VDE** Rating: **32A/125V**

Part Number: **309F.32-125**



Plug



Approvals: **VDE** Rating: **32A/250V**

Part Number: **309M.32** *

Receptacle




Approvals: **VDE** Rating: **32A/250V**


Part Number: **309F.32** *

International

9650.MPB *
APPROVALS: **ASTA**



8500.MPB *
APPROVALS: **VDE**



8009.MSB *
APPROVALS: **VDE**




* This symbol means that these are our most commonly stocked items within a series. Look for this symbol throughout our catalog for fast shipment.




Part Number: **KIT.2**

Quail Electronics offers the perfect solution for the laptop toting international traveler. These designs use a single power cord with multiple and interchangeable wall plug options.




IEC-60320-C8


IEC-60320-C7




IEC-60320-C7
to
NEMA 1-15P



IEC-60320-C7
to
AS 3112, Australian Plug



IEC-60320-C7
to
CEE 7/16, European Plug



IEC-60320-C7
to
BS 1363, U.K. Plug


Part Number: **KIT.3** *

Whether a traveler is using a computer or other electronic equipment using the IEC-60320-C7 or IEC-60320-C5 the Quail traveling kits will ensure the correct power configuration in most regions around the world.




IEC-60320-C6


IEC-60320-C5




IEC-60320-C5
to
NEMA 5-15P



IEC-60320-C5
to
AS 3112, Australian Plug



IEC-60320-C5
to
CEE 7/7, European "Schuko" Plug






IEC-60320-C5
to
BS 1363, U.K. Plug

Adapters



PART NUMBER: WS.069 *
APPROVALS: UL
RATINGS: 7A/125V




NEMA 1-15P

IEC-60320-C7
Right Angle

PART NUMBER: 0511.B *
APPROVALS: UL
RATINGS: 10A/125V




NEMA 1-15P

CEE 7/16
European
Receptacle

PART NUMBER: 0506.B *
APPROVALS: UL
RATINGS: 10A/125V




NEMA 5-15P

IEC-60320-C13

PART NUMBER: 0526.B *
APPROVALS: UL
RATINGS: 10A/125V




NEMA 5-15P

IEC-60320-C13
Right Angle

PART NUMBER: 0527.B *
APPROVALS: UL
RATINGS: 10A/125V




NEMA 5-15P

IEC-60320-C13
Up Angle

PART NUMBER: 0524.B *
APPROVALS: UL
RATINGS: 10A/125V




NEMA 5-15P

IEC-60320-C13
Down Angle

PART NUMBER: 0501.B *
APPROVALS: UL
RATINGS: 10A/125V




NEMA 5-15-P

IEC 60320-C13
Right Angle (X2)

PART NUMBERS: 0502.B *
APPROVALS: UL
RATINGS: 10A/125V




NEMA 5-15-P

NEMA 5-15R
IEC-60320-C13

PART NUMBER: 0500.B *
APPROVALS: UL
RATINGS: 15A/125V

NEMA 5-15-P

NEMA 5-15R (X2)

* This symbol means that these are our most commonly stocked items within a series. Look for this symbol throughout our catalog for fast shipment.

Plugs, Kits & Adapters

Plugs, Kits & Adapters




Plugs, Kits & Adapters

PART NUMBER: WS.187

APPROVALS: UL
RATINGS: 15A/125V

NEMA 5-15P




NEMA L5-15R

PART NUMBER: WS.190

APPROVALS: UL
RATINGS: 20A/125V

NEMA 5-20P




NEMA L5-20R

PART NUMBER: WS.188

APPROVALS: UL
RATINGS: 15A/250V

NEMA 6-15P




NEMA L6-15R

PART NUMBER: WS.189

APPROVALS: UL
RATINGS: 20A/250V

NEMA 6-20P




NEMA L6-20R

PART NUMBER: WS.191

APPROVALS: UL
RATINGS: 15A/125V

NEMA L5-15P




NEMA 5-15R

PART NUMBER: WS.194

APPROVALS: UL
RATINGS: 20A/125V

NEMA L5-20P




NEMA 5-20R

PART NUMBER: WS.192

APPROVALS: UL
RATINGS: 15A/125V

NEMA L5-15P





NEMA 6-15R

PART NUMBERS: WS.193

APPROVALS: UL
RATINGS: 20A/250V

NEMA L6-20P





NEMA 6-20R

PART NUMBER: 0512.B *

APPROVALS: VDE
RATINGS: 10A/250V




IEC-60320-C14









CEE 7/7
European
Receptacle




* This symbol means that these are our most commonly stocked items within a series. Look for this symbol throughout our catalog for fast shipment.









PART NUMBER: 0513.B *
RATINGS: 2.5A/250V IEC-60320-C14    IEC-60320-C5




PART NUMBER: 0504.B *
APPROVALS: UL
RATINGS: 15A/125V IEC-60320-C14    NEMA 5-15R
 IEC-60320-C13




PART NUMBER: 0507.B *
APPROVALS: UL
RATINGS: 15A/125V IEC-60320-C14    NEMA 5-15R




PART NUMBER: 0503.B *
APPROVALS: UL
RATINGS: 15A/125V IEC-60320-C14    NEMA 5-15R (X2)

PART NUMBER: 0509.B *
APPROVALS: TUV, CE
RATINGS: 10A/250V IEC-60320-C14    IEC-60320-C13

PART NUMBER: 0505.B *
APPROVALS: TUV, CE
RATINGS: 10A/250V IEC-60320-C14    IEC-60320-C13 (X2)

PART NUMBER: 0508.B *
APPROVALS: PSE
RATINGS: 10A/125V JIS 8303 Japanese Plug    NEMA 5-15R

PART NUMBERS: 0510.B *
APPROVALS: PSE, FIMKO
RATINGS: 10A/125V CEE 7/16 European Plug    NEMA 1-15R


PART NUMBER: WS.068 *
APPROVALS: TUV, CE
RATINGS: 2.5A/250V CEE 7/16 European Plug    IEC-60302-C7 Up / Down Angle

* This symbol means that these are our most commonly stocked items within a series. Look for this symbol throughout our catalog for fast shipment.

PART NUMBER: WS.066 *

APPROVALS: SAA
RATINGS: 2.5A/250V

AS 3112
Australian Plug



IEC-60320-C7
Down Angle



Universal Adapters



PART NUMBER: 0520.BG *

APPROVALS: UL, CE
RATINGS: 15A/125V

NEMA 5-15P





Universal

PART NUMBER: 0521.BG *

APPROVALS: UL, CE
RATINGS: 10A/250V

CEE 7/7
European Plug





Universal

PART NUMBER: 0522.BG *

APPROVALS: UL, CE
RATINGS: 10A/250V

BS 1363
U.K. Plug





Universal

PART NUMBER: 0523.BG

APPROVALS: UL, CE
RATINGS: 10A/250V

AS 3112
Australian Plug





Universal

PART NUMBER: 0530.BG

APPROVALS: UL, CE
RATINGS: 10A/250V

BS 546
Indian Plug





Universal

PART NUMBER: 0531.BG

APPROVALS: UL, CE
RATINGS: 10A/250V

SRAF 1962/DB
16/87
Danish Plug





Universal

PART NUMBERS: 0532.BG

APPROVALS: UL, CE
RATINGS: 10A/250V

CEI 23-16
Italian Plug





Universal

PART NUMBER: 0533.BG

APPROVALS: UL, CE
RATINGS: 15A/250V

SEV 1011
Swiss Plug



Universal